

30 inch Inline Diamond Wire Saw SS

Used for Subsea and Topside Cutting

The compact and robust design of Mactech's 30 inch Inline Saw creates an ideal removal time which reduces cost.

This specific saw is designed to give you maximum cutting range flexibility, small footprint and reliable operation

The workhorse of the diamond wire saw fleet, our Inline Saws have all the features you need to efficiently cut casing and structures.

These saws have performed thousands of successful cuts in the Gulf of Mexico and around the world.

Operational Benefits

- Used for subsea and topside cutting
- Operates in any position
- Cuts multi-string casing, square piles, steel, and concrete
- Easily modified for specialised cuts
- Cuts in any orientation, upside-down, right-side up, or at any angle



30 inch Inline SS Diamond Wire Saw

14 inches to 30 inches
356 mm to 762 mm

MACTECH



Mactech (Europe) Ltd
Mactech House
Riverdane Road
Eaton Bank Trading Estate
Congleton
Cheshire
CW12 1PN
+ 44 (0) 1260 281431

Mactech (Europe) Ltd.
Mactech House
Howe Moss Drive
Dyce
Aberdeen
Scotland
AB21 0GL
+ 44 (0) 1224 722666

Mactech (Europe) BV
Moerbeij 16
3371 NZ
Hardinxveld-Giessendam
Netherlands
+31 (0) 184 633 953


30 inch Inline Diamond Wire Saw SS

Used for Subsea and Topside Cutting



30 inch Cut-Off Diamond Wire Saw
Stainless Steel Fittings & Fasteners

MACTECH

Specifications		Hydraulic Requirements	
Cutting Capacity	Ø 14 - Ø 30 inches	Drive	15 gpm @ 3000 psi
	Ø 356 - Ø 762 mm		57 lpm @ 207 bar
Operating Dimensions	94" x 64" x 40"	Feed	.5 gpm @ 1000 psi
	2388 x 1626 x 1016mm		2 lpm @ 69 bar
Operating Weights	Dry 950 lbs / Wet 696lbs	Clamp	.5 gpm @ 1500 psi
	Dry 431kg / Wet 315kg		2 lpm @ 103 bar
Shipping Dimensions	86 x 65 x 43 inches	Accessories Available	
	2184 x 1651 x 1092 mm		
Shipping Weight	1350 lbs	Water Hose System	
	612 kg	Diamond Wire (Steel)	
		Diamond Wire (Concrete)	
		Diamond Wire (Premium Concrete)	
		Hydraulic Control Cart	
		Support Package (Box, SP, TK)	
		Spares Kit	
		Tool Kit	